

CONSENT ORDER NO. 160826871619

DATED: 09/11/2016.

PROCEEDINGS NO.F.0122NPM/OS/DEE/TNPCB/NPM/A/2016 DATED: 09/11/2016

SUB: Tamil Nadu Pollution Control Board - RENEWAL OF CONSENT -M/s. BRILLIANT COLLEGE OF EDUCATION, S.F.No. 153/4,5,7,8, MANALI village, Thiruthuraipoondi Taluk and Thiruvarur District - Renewal of Consent for the operation of the plant and discharge of emissions under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) -Issued- Reg.

REF: 1.Consent to Operate Proc.No.DEE/TNPCB/NPM/F.MIS.0773/O/S/W&A/2014 dated.27.03.2014

2.Latest Renewal Proc.No.F.0122NPM/OS/DEE/TNPCB/NPM/W&A/2015 dated.29.09.2015

3.Unit's application for Renewal of consent dated.04.10.2016 4.IR.No: F.0122NPM/OS/AE/NPM/2016 dated.25.10.2016

5. Minutes of DLCCC for Auto Renewal held on 08.11.2016

RENEWAL OF CONSENT is hereby granted under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended in 1987 (Central Act 14 of 1981) (hereinafter referred to as "The Act") and the rules and orders made there under to

The Correspondent
M/s.BRILLIANT COLLEGE OF EDUCATION,
S.F.No. 153/4,5,7,8,
MANALI village,
Thiruthuraipoondi Taluk,
Thiruvarur District.

Authorizing the occupier to operate the industrial plant in the Air Pollution Control Area as notified by the Government and to make discharge of emission from the stacks/chimneys.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending September 30, 2018

District Environmenta Engineer, Tamil Nadu Pollution Control Board, NAGAPATTINAM



# SPECIAL CONDITIONS

 This renewal of consent is valid for operating the facility for the manufacture of products (Col. 2) at the rate (Col. 3) mentioned below. Any change in the products and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

SL No.	Description	Quantity	Unit
Product	Details		
1. B.Ed Ed	lucation given to students	100	Nos/Year

 This renewal of consent is valid for operating the facility with the below mentioned emission/noise sources along with the control measures and/or stack. Any change in the emission source/control measures/change in stack height has to be brought to the notice of the Board and fresh consent/Amendment has to be obtained.

I	Point source emission with stack :				
Stack No.	Point Emission Source	Air pollution Control measures	Stack height from Ground Level in m	Gaseous Discharge in Nm3/hr	
II	Fugitive/Noise emission :				
SI. No.	Fugitive or Noise Emission sources	Type of emission	Control measures		



#### Additional Conditions:

1. The unit shall treat and dispose the sewage through septic tank followed by soak pit.

2. The unit shall ensure that no Trade Effluent is generated due to their activities.

3. The unit shall avoid the use of use & throw away plastic items such as carry bags, plastic cups, tumblers, plates, sheets, etc.,

4. In case of revision of consent fee by the Government, the unit shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this consent order will be withdrawn without any notice and further action will be initiated against the unit as per law.

District Environmental Engineer, Tamil Nadu Pollution Court Board, NAGAPATTINAM

To

The Correspondent,

M/s.BRILLIANT COLLEGE OF EDUCATION.

No. 3/87-A, Thiruvarur Main Road, Paruthichery, Thiruthuraipoondi Taluk, Thiruvarur District., Pin: 614715

### Copy to:

- 1. The Commissioner, THIRUTHURAIPOONDI-Panchayat Union, Thiruthuraipoondi Taluk, Thiruvarur District.
- Copy submitted to the Member Secretary, Tamil Nadu Pollution Control Board, Chennai for favour of kind information.
- 3. Copy submitted to the JCEE-Monitoring, Tamil Nadu Pollution Control Board, Triuchirappalli for favour of kind information.
- 4. File



CONSENT ORDER NO. 160816871619

DATED: 09/11/2016.

PROCEEDINGS NO.F.0122NPM/OS/DEE/TNPCB/NPM/W/2016 DATED: 09/11/2016

SUB: Tamil Nadu Pollution Control Board - RENEWAL OF CONSENT - M/s. BRILLIANT COLLEGE OF EDUCATION, S.F.No. 153/4,5,7,8, MANALI village, Thiruthuraipoondi Taluk and Thiruvarur District - Renewal of Consent for the operation of the plant and discharge of sewage and/or trade effluent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act 6 of 1974) - Issued-Reg.

REF: 1.Consent to Operate Proc.No.DEE/TNPCB/NPM/F.MIS.0773/O/S/W&A/2014 dated.27.03.2014

2.Latest Renewal Proc.No.F.0122NPM/OS/DEE/TNPCB/NPM/W&A/2015 dated.29.09.2015

3.Unit's application for Renewal of consent dated.04.10.2016

4.IR.No: F.0122NPM/OS/AE/NPM/2016 dated.25.10.2016

5. Minutes of DLCCC for Auto Renewal held on 08.11.2016

RENEWAL OF CONSENT is hereby granted under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act, 6 of 1974) (hereinafter referred to as "The Act") and the rules and orders made there under to

The Correspondent
M/s.BRILLIANT COLLEGE OF EDUCATION,
S.F.No. 153/4,5,7,8,
MANALI Village,
Thiruthuraipoondi Taluk,
Thiruvarur District.

Authorising the occupier to make discharge of sewage and /or trade effluent.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending September 30, 2018

District Environment Engineer, Tamil Nadu Pollution Control Board, NAGAPATTINA



### SPECIAL CONDITIONS

 This renewal of consent is valid for operating the facility for the manufacture of products/byproducts (Col. 2) at the rate (Col 3) mentioned below. Any change in the product/byproduct and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

SL. No.	Description	Quantity	Unit
Product	Details		•
1. B.Ed Ed	ducation given to students	100	Nos/Year

This renewal of consent is valid for operating the facility with the below mentioned outlets for the discharge of sewage/trade effluent. Any change in the outlets and the quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Outlet No.	Description of Outlet	Maximum daily discharge in KLD	Point of disposal
Effluent Ty	pe : Sewage		
1.	Sewage	0.7	On Industrys own land
Effluent Ty	pe : Trade Effluent		\$80°



#### Additional Conditions:

1. The unit shall adhere to Ambient Air Quality/ Ambient Noise Level standards prescribed by the Board.

2. The unit shall avoid the use of use & throw away plastic items such as carry bags, plastic cups, tumblers, plates, sheets, etc..

3. The unit shall develop thick and adequate green belt in and around the boundary of the premises.

4. In case of revision of consent fee by the Government, the unit shall remit the difference in amount within one month from the date of notification. Failing to remit the consent fee, this consent order will be withdrawn without any notice and further action will be initiated against the unit as per law.

District Environment (Engineer, Tamil Nadu Pollution Control Board, NAGAPATTINAM

To

The Correspondent,

M/s.BRILLIANT COLLEGE OF EDUCATION,

No. 3/87-A, Thiruvarur Main Road, Paruthichery, Thiruthuraipoondi Taluk, Thiruvarur District.,

Pin: 614715

## Copy to:

- 1. The Commissioner, THIRUTHURAIPOONDI-Panchayat Union, Thiruthuraipoondi Taluk, Thiruvarur District .
- 2. Copy submitted to the Member Secretary, Tamil Nadu Pollution Control Board, Chennai for favour of kind information.
- 3. Copy submitted to the JCEE-Monitoring, Tamil Nadu Pollution Control Board, Triuchirappalli for favour of kind information.
- 4. File